

Literatur „Sofortimplantate“

VIP-ZM e. V., Stand: September 2019

- 1 Akođlan M, Tatlı U, Kurtođlu C, Salimov F, Kůrkçũ M. Effects of different loading protocols on the secondary stability and peri-implant bone density of the single implants in the posterior maxilla. *Clin Implant Dent Relat Res.* 2017; 19 (4): 624–631.
- 2 AlKudmani H, Al Jasser R, Andreana S. Is Bone Graft or Guided Bone Regeneration Needed When Placing Immediate Dental Implants? A Systematic Review. *Implant Dent.* 2017; 26 (6): 936–944.
- 3 Barone A, Alfonsi F, Derchi G, Tonelli P, Toti P, Marchionni S, Covani U. The Effect of Insertion Torque on the Clinical Outcome of Single Implants: A Randomized Clinical Trial. *Clin Implant Dent Relat Res.* 2016; 18 (3): 588–600.
- 4 Buser D, Chappuis V, Belser UC, Chen S. Implant placement post extraction in esthetic single tooth sites: when immediate, when early, when late? *Periodontol 2000.* 2017; 73 (1): 84–102.
- 5 Caneva M, Botticelli D, Rossi F et al. Influence of implants with different sizes and configurations installed immediately into extraction sockets on periimplant hard and soft tissues: an experimental study in dogs. *Clin Oral Implants Res* 2012; 23: 396–401
- 6 Caneva M, Botticelli D, Morelli F et al. Alveolar process preservation at implants Installed immediately into extraction sockets using deproteinized bovine bone mineral- an experimental study in dogs. *Clin Oral Implants Res* 2012; 23: 789–796
- 7 Chen H, Zhang G, Weigl P, Gu X. Immediate placement of dental implants into infected versus noninfected sites in the esthetic zone: A systematic review and meta-analysis. *J Prosthet Dent* 2018 [Epub ahead of print]
- 8 Chen ST, Buser D. Esthetic outcomes following immediate and early implant placement in the anterior maxilla – a systematic review. *IntJ Oral Maxillofac Implants* 2014; 29 (Suppl.): 186–215
- 9 Cosyn J, Hooghe N, De Bruyn H. A systematic review on the frequency of advanced recession following single immediate implant treatment. *J Clin Periodontol* 2012; 39 (6): 582–589.
- 10 De Bruyn H, Raes S, Ostman PO et al. Immediate loading in partially and completely edentulous jaws: a review of the literature with clinical guidelines. *Periodontology 2000* 2014; 66: 153–187
- 11 de Oliveira-Neto OB, Barbosa FT, de Sousa-Rodrigues CF, de Lima FJC. Quality assessment of systematic reviews regarding immediate placement of dental implants into infected sites: An overview. *J Prosthet Dent.* 2017 May; 117 (5): 601–605.
- 12 De Santis D, Cucchi A, Rigoni G, Longhi C, Nocini PF. Relationship Between Primary Stability and Crestal Bone Loss of Implants Placed with High Insertion Torque: A 3-Year Prospective Study. *Int J Oral Maxillofac Implants.* 2016; 31 (5): 1126–1134.
- 13 Dhom G, Gehrke P. Das Einzelzahnimplantat: Indikationen, Richtlinien und Risikofaktoren zur Sofortimplantation. *zzi Z Zahnärztl Impl* 2006; 22
- 14 Gallo N, Dorsteler M. Periimplantärer, krestaler Knochenabbau bei Implantaten mit und ohne Platformswitching unter sofortiger oder später Belastung. Eine klinisch randomisierte Studie (Dissertation). Bern: Universität Bern: 2014
- 15 Greenstein G, Cavallaro J. Implant Insertion Torque: Its Role in Achieving Primary Stability of Restorable Dental Implants. *Compend Contin Educ Dent.* 2017; 38 (2): 88–95.
- 16 Grunder U. Crestal ridge width changes when placing implants at the time of tooth extraction with and without soft tissue augmentation after a healing period of 6 months: report of 24 consecutive cases. *Int J Periodontics Restorative Dent* 2011; 31: 9–17
- 17 Hammerle CH, Araujo MG, Simion M. Evidence-based knowledge on the biology and treatment of extraction sockets. *Clin Oral Implants Res* 2012; 23 (Suppt. 5): 80–82
- 18 Hur Y, Ogata Y. No clinically significant differences in crestal bone loss between immediate implant placement and implants placed in healed bone: A systematic review of articles published from 1966 through 2012. *J Am Dent Assoc.* 2016; 147 (12): 987–989.
- 19 Jofre J, Cendoya P, Munoz P. Effect of splinting mini-implants on marginal bone loss: a biomechanical model and clinical randomized study with mandibular overdentures. *Int J Oral Maxillofac Implants* 2010; 25: 1137–1144
- 20 Kinaia BM, Ambrosio F, Lamble M, Hope K, Shah M, Neely AL. Soft Tissue Changes Around Immediately Placed Implants: A Systematic Review and Meta-Analyses With at Least 12 Months of Follow-Up After Functional Loading. *J Periodontol.* 2017; 88 (9): 876–886.

- 21 Kronstrom M, Davis B, Loney R et al. Satisfaction and clinical Outcomes Among Patients with Immediately Loaded Mandibular Overdentures Supported by One or Two Dental Implants: Results of a 5-Year Prospective Randomized Clinical Trial. *Int J Oral Maxillofac Implants* 2017; 32: 128–136
- 22 Lang NP, Pun I, Lau KY et al. A systematic review on survival and success rates of implants placed immediately into fresh extraction sockets after at least 1 year. *Clin Oral Implants Res* 2012; 23 (Suppl. 5): 39–66
- 23 Malchiodi L, Balzani L, Cucchi A, Ghensi P, Nocini PF. Primary and Secondary Stability of Implants in Postextraction and Healed Sites: A Randomized Controlled Clinical Trial. *Int J Oral Maxillofac Implants*. 2016; 31 (6): 1435–1443.
- 24 Matarasso S, Salvi GE, Iorio Siciliano V et al. Dimensional ridge alterations following Immediate implant placement in molar extraction sites: a six-month prospective cohort study with surgical re-entry. *Clin Oral Implants Res* 2009; 20: 1092–1098
- 25 Malo P, Lopes A, de Araujo Nobre M et al. Immediate function dental implants inserted with less than 30 Ncm of torque in full-arch maxillary rehabilitations using the All-on-4 concept: retrospective study. *Int J Oral Maxillofac Surg* 2018; 47: 1079–1085
- 26 Mello CC, Lemos CAA, Verri FR, Dos Santos DM, Goiato MC, Pellizzer EP. Immediate implant placement into fresh extraction sockets versus delayed implants into healed sockets: A systematic review and meta-analysis. *Int J Oral Maxillofac Surg*. 2017; 46 (9): 1162–1177.
- 27 Morton D, Pollini A. Evolution of loading protocols in implant dentistry for partially dentate arches. *Periodontol* 2000. 2017; 73 (1): 152–177.
- 28 Nkenke E, Schliephake H. Sofortbelastung und Sofortversorgung von Implantaten: Indikationen und Überlebensraten. *Z Zahnärztl Impl* 2009; 25 (2).
- 29 Noelken R, Geier J, Kunkel M, Jepsen S, Wagner W. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. *Clin Implant Dent Relat Res*. 2018; 20 (5): 674–682.
- 30 Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res*. 2018; 29 (3): 320–327.
- 31 Noelken R, Moergel M, Pausch T, Kunkel M, Wagner W. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. *Clin Implant Dent Relat Res*. 2018; 20 (3): 285–293.
- 32 Noelken R, Oberhansl F, Kunkel M, Wagner W. Immediately provisionalized OsseoSpeed™ Profile implants inserted into extraction sockets: 3-year results. *Clin Oral Implants Res*. 2016; 27 (6): 744–749.
- 33 Norton MR. The Influence of Low Insertion Torque on Primary Stability, Implant Survival, and Maintenance of Marginal Bone Levels: A Closed-Cohort Prospective Study. *Int J Oral Maxillofac Implants*. 2017; 32 (4): 849–857.
- 34 Rojo R, Prados-Frutos JC, Manchón Á, Rodríguez-Molinero J, Sammartino G, Calvo Guirado JL, Gómez-de Diego R. Soft Tissue Augmentation Techniques in Implants Placed and Provisionalized Immediately: A Systematic Review. *Biomed Res Int.*; 2016: Epub 2016 Jul 19.
- 35 Santos JS, Santos TS, Martins-Filho PRS, Krockow NV, Weigl P, Pablo H. One Abutment at One Time Concept for Platform-Switched Morse Implants: Systematic Review and Meta-Analysis. *Braz Dent J*. 2018; 29 (1): 7–13.
- 36 Schiegnitz E, Noelken R, Moergel M, Berres M, Wagner W. Survival and tissue maintenance of an implant with a sloped configured shoulder in the posterior mandible—a prospective multicenter study. *Clin Oral Implants Res*. 2017; 28 (6): 721–726.
- 37 Schley JS, Terheyden H, Wolfart S. S3-Leitlinie – AWMF-Registernr. 083–010: 2013, 05.
- 38 Stanford CM, Barwacz C, Raes S, De Bruyn H, Cecchinato D, Bittner N, Brandt J. Multicenter Clinical Randomized Controlled Trial Evaluation of an Implant System Designed for Enhanced Primary Stability. *Int J Oral Maxillofac Implants*. 2016; 31 (4): 906–915.
- 39 Stoker GT, Wismeijer D. Immediate loading of two Implants with a mandibular implant-retained overdenture: a new treatment protocol. *Clin Implant Dent Relat Res* 2011; 13: 255–261
- 40 Tan WL, Wong TL, Wong MC et al. A systematic review of post-extraction alveolar hard and soft tissue dimensional changes in humans. *Clin Oral Implants Res* 2012; 23 (Suppl. 5): 1–21
- 41 Tarnow DP, Magner AW, Fletcher P. The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *J Periodontol* 1992; 63:995–996
- 42 Tarnow D, Elian N, Fletcher P et al. Vertical distance from the crest of bone to the height of the interproximal papilla between adjacent implants. *J Periodontol* 2003; 74: 1785–1788
- 43 Weigl P, Strangio A. The impact of immediately placed and restored single-tooth implants on hard and soft tissues in the anterior maxilla. *Eur J Oral Implantol*. 2016; 9 Suppl 1: 89–106.

- 44 Yan Q, Xiao LQ, Su MY, Mei Y, Shi B. Soft and Hard Tissue Changes Following Immediate Placement or Immediate Restoration of Single-Tooth Implants in the Esthetic Zone: A Systematic Review and Meta-Analysis. *Int J Oral Maxillofac Implants*. 2016; 31 (6): 1327–1340.
- 45 Zetu L, Wang HL. Management of inter-dental/inter-implant papilla. *J Clin Periodontol* 2005; 32: 831–839
- 46 Zhuang J, Zhao D, Wu Y, Xu C. Evaluation of Outcomes of Dental Implants Inserted by Flapless or Flapped Procedure: A Meta-Analysis. *Implant Dent* 2018, 27 (5): 588–598.



VIP-ZM e. V.

Verein innovativ-praktizierender
Zahnmediziner/-innen e.V.

VIP-ZM e. V.

Silvanerstraße 13a | D-55129 Mainz
fon +49 (0) 6131 492 41 39 | fax +49 (0) 6131 492 41 37
info@vip-zm.de

www.vip-zm.de